

Photovoltaic DC Cable & Connector



VEICHI

Suzhou Veichi Electric Co., Ltd

No.1000 Songjia Road, Guoxiang street, Wuzhong Economic and Technological Development Zone, Suzhou

Tel: +86-512-6617 1988

Facebook: <https://www.facebook.com/veichigroup>

Whatsapp: +86- 138 2881 8903

<https://www.veichi.com>



* Version: June, 2024
Veichi Electric Co., Ltd all rights reserved,
subject to change without notice.

About us



VEICHI Electric (stock code: 688698) has always been dedicated to the field of electrical drive and industrial control since its establishment, and now it is a high-tech enterprise engaged in R&D, production, and sales of industrial automation products in one. With R&D and production bases in Suzhou, Shenzhen and Xi'an, and a wholly-owned subsidiary in India, VEICHI now is capable of conducting its business to many countries and regions with competitive, safe and reliable products and services to customers all over the world.

Plentiful products cover AC drives, servo systems and control systems, which are widely used in heavy industry, light industry, high-end equipment and more to facilitate the intellectualized transformation of the manufacturing industry with solutions customized to different scenarios. In the meanwhile, along the development trend of the times, VEICHI is extending its place to the emerging fields such as robotics, new energy, and medical care, and has developed products such as coreless motors, frameless motors, photovoltaic AC drives, and surgical power systems, which have deeply empowered the impressively promising industries.

On long-term and persistent independent R&D and innovation, VEICHI has successfully cultivated a series of patented technologies with independent intellectual property rights, and has mastered the core technologies of motor


control such as vector control of PMSM, high-frequency pulse injection control, field-weakening control for higher speed, scalar V/F control and vector control etc., and of silicon carbide application, motor parameter tuning and identification, motor control and protection, and motor speed tracking and start-up control. As of June 30, 2024, a total of 221 patents have been granted, including 51 patents for inventions.

VEICHI has been developing step by step over the past 19 years with abundant honorary awards and certificates from the state and competent authorities, including "the Third Batch of Special and Sophisticated 'Small Giant' Enterprises That Produce Novel and Unique Products", "High-tech Enterprises", "Jiangsu Provincial Engineering Technology Research Center", "Jiangsu Provincial Enterprise Technology Center", "Jiangsu Provincial Industrial Internet Development Demonstration Enterprise (Benchmarking Factory Category)" and others.

In the future, VEICHI Electric will continue to uphold the business philosophy of "guided by market demand and driven by technological innovation", strengthen the key core technology research and product iteration, and constantly expand its high-performance, high-quality, high-reliability applications, contributing to the development of electrical drive and industrial control with might and main.

Photovoltaic DC Cable

Mainly used for connecting solar panels and inverters. The use of XLPO/XLPE material for the insulation and phase sheathing makes the cable resistant to sunlight and can also be used in high and low temperature environments.



SI-PV 1500DC-AL

Photovoltaic Aluminum Cable



Product Certification

TÜV PPP 11029A 1.5KVDC-AL



Cable Characteristics

Conductor: Stranded tinned soft copper
 Sheath/Insulation: XLPO, color available
 Rated voltage: AC U_o/U 1.0/1.0KV, DC 1.5KV
 Withstand test: AC6.5KV/5min, DC15KV/5min
 Certification standard: PPP 11029A:2019

Temperature Rating:

Rated Temperature: -40°C ~ +90°C
 Allowable short circuit temperature: 200°C for 5 seconds

Testing Standard:

Cold bending test: IEC60811-401
 Vertical burning test: IEC60332-1-2

- Sheath:** Irradiated crosslinked low-smoke halogen-free flame retardant environmentally friendly polyolefin (XLPO/XLPE)
- Insulation:** Irradiated crosslinked low-smoke halogen-free flame retardant environmentally friendly polyolefin (XLPO/XLPE)
- Conductor:** Aluminum alloy

Cable structure table (specific parameters are subject to the latest specification)

Conductor Nominal Cross Section (mm ²)	Conductor structure (Φn/mm±0.015)	Outer diameter of stranded conductor (Φmm±0.2)	Insulation thickness (≥mm)	Sheath thickness (≥mm)	Outer diameter of finished product (Φmm±0.2)	Conductor DC Resistance (Ω/Km)	60°C Capacitance (A)
4	56*0.3	2.6	0.7	0.8	5.6	7.85	30
6	84*0.3	3.2	0.7	0.8	6.4	5.23	39
10	80*0.4	4.2	0.7	0.8	8.3	3.08	51


Photovoltaic Connector

Converging Photovoltaic Connector help to easily expand solar arrays by supporting series or parallel configurations for flexible system design and increased compatibility of different solar panels.



1000V series SI-PV004

1500V series SI-PV005



SI-PV004 Photovoltaic Connector

Product standard:

IEC62852:2014/TÜV certification



Rated voltage: 1000V DC
Contact material: tinned copper
Rated current: 30A
Protection class: IP67
Contact resistance: $\leq 0.5\text{m}\Omega$
Adaptable ambient temperature: $-40^{\circ}\text{C}\sim+85^{\circ}\text{C}$
Cable cross-sectional area: 2.5/4/6mm ²
Flame retardant grade: UL94 V-0
Insulation material: PC EXL9330
Execution standard: IEC 62852:2014

SI-PV004-D Photovoltaic Diode Connector

Product standard:

CE certification



Rated voltage: 1000V DC
Contact material: tinned copper
Rated current: 10/15/20A
Protection class: IP65
Contact resistance: $\leq 0.5\text{m}\Omega$
Adaptable ambient temperature: $-40^{\circ}\text{C}\sim+85^{\circ}\text{C}$
Flame retardant grade: UL94 V-0
Insulation Material: PC EXL9330/PPO
Execution standard: IEC 62852:2014/CE

SI-PV004-P Photovoltaic Board end Connector

Product standard:

CE certification



Rated voltage: 1000V DC
Contact material: tinned copper
Rated current: 30A
Protection class: IP65
Contact resistance: $\leq 0.5\text{m}\Omega$
Adaptable ambient temperature: $-40^{\circ}\text{C}\sim+85^{\circ}\text{C}$
Thread size: 12mm
Flame retardant grade: UL94 V-0
Insulation material: PPO

SI-PV004-F Photovoltaic Fuse Connector

Product standard:


CE certification



Rated voltage: 1000V DC
Contact material: tinned copper
Rated current: 10/15/20A
Protection class: IP65
Contact resistance: $\leq 0.5\text{m}\Omega$
Adaptable ambient temperature: $-40^{\circ}\text{C}\sim+85^{\circ}\text{C}$
Flame retardant grade: UL94 V-0
Insulation Material: PC EXL9330/PPO
Execution standard: IEC 62852:2014/CE

SI-GD004-20/30 Solar Fast Shutoffs

The core equipment in the fast shutdown solution can be connected with individual modules to realize group-level fast shutdown function and achieve the purpose of safe and stable operation of solar power generation system. Low loss, high efficiency, stable and reliable, can effectively ensure the safe operation of the solar system.



Max. system voltage	1000V (1500V Optional)
Input Voltage	12~80V
Max. output current	20A
Max. short-circuit current	25A
Shutdown Output Voltage	1V@10mA
Static power dissipation	200mW
efficiency	99.90%
maximum power	700W

Input Cable Length	0.5m
Output cable length	1.2m
Dimension	120*77*17mm
Operating temperature	-40°C~+85°C
Protection class	IP68
Operating temperature	-40°C~+85°C
Connector Type	MC4or MC4 Compatible
Service life	25 Years

BRING QUALITY HOME
ADD SUNSHINE TO
PHOTOVOLTAIC



R&D and Manufacturing

R&D Capacity

- > Excellent professional and technical talents in the field of industrial control in China have gathered in VEICHI with R&D personnel accounting for 37.16% of the total employees, while technical personals with bachelor's degrees or above for 74.62%.
- > VEICHI is always committed to providing customers with stable and trustworthy products and technical services in accordance to the research and development concept of "strive for excellence by innovating technologies".
- > Annual R&D investment of accounts for about 10% of the whole revenue. EMC laboratory, safety laboratory, reliability laboratory, product performance testing laboratory and a number of experimental platforms for multiple industrial applications are established successively.
- > In-depth cooperation with many famous universities and research institutions in China has been established and "Jiangsu Postdoctoral Innovation Practice Base" and "Jiangsu Postgraduate Workstation" set up successively.

Intelligent Automation Production

- > Products are based on digital technologies from the beginning of product development, to production programming and then production, that is the whole production cycle, with an annual output up to 914,600 units.
- > 5 fully imported MT high-speed chip mounting lines, 5 automatic coating lines, 4 DIP testing lines, 1 automated line equipped with robotic arms, 12 production lines ensure production of all of the VEICHI products.
- > All of the products are checked by the quality management mode of 3 (tri-inspection system)+ 1 (proportional inspection) during the whole process, and all of them are carried out automatically so as to ensure the performance.
- > Three major production management system WMS, MES and ERP together ensure that the unique code of each product is traceable in the system to manage product quality.



Service and Support

